





The sleek shape of Corteo makes it a perfect companion for today's modern kitchens. Advanced features like the quiet Captur™ system and LED lighting make it a pleasure to use. The LED modules included with this hood are the latest in LED cooktop illumination technology specially designed to operate in the elevated temperatures of cooking - offering bright lighting and lasting up to 25 times as long as a standard bulb and greater reliability than typical replacement LED bulbs.

SIZE	STAINLESS	GREASE FILTERS (replacement)	NON-DUCTED FILTERS	
30 in.	CRDE130SS	HPFAMM30 (Type C2)	HPF30 (Type Xc)	

HVI PERFORMANCE									
			Sones		CFM				
Duct Orientation	Size	Damper	Normal	Medium*	High	Normal	Medium*	High 0.25 in. w.g.	High 0.1 in. w.g.
Vertical - Rectangular	3¼ in. x 10 in.	Included	1.5	3.0	6.0	130	170	150	240
Horizontal - Rectangular	3¼ in. x 10 in.	Included	1.5	3.0	6.0	110	160	160	240
Round - Vertical	7 in.	Sold Separately	2.0	3.0	5.5	140	190	115	260

FEATURES	
Max. Blower CFM**	375
Control type	3-speed Push Button
Delay off	no
Filter Clean Reminder	no
Heat Sentry™	no
ADA Capable	yes
Lighting	1-level LED (included)
Grease Filters	Micro Mesh (Qty. 2)
Installation Hardware	EZ1 brackets
ENERGY STAR®	no
Recirculation	Non-ducted filters sold separately
AC INPUT	

120 V, 60 Hz - 0.65 AMPS

OPTIONAL ACCESSO	RIES
7-in. Round Damper	BP87Q

Make-up Air Dampers | MD6TU, MD8TU and MD10TU

MOUNTING HEIGHT

18 in. to 24 in. from cooktop to bottom of hood

LIMITED WARRANTY

1-year


- CRDE1 SERIES

SPECIFICATION SHEET


3-year (LED bulbs only)

See instruction manual for full warranty text.

FOR INDOOR USE ONLY







HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 in. static pressure, based on tests conducted in AMCA's state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.

99045768G

Where noted performance rating is not HVI certified but was established in accordance with HVI Standardized test procedure.

^{**} Max. blower CFM indicates the performance of the hood blower in open air.